

Google scholar

backup based on instruction application registre

Search

Advanced Scholar Search

Scholar

Articles and patents

anytime

include citations

Create email alert

Results 1 - 10 of about 9,840 (0.19 sec)

Policy engine which supports application specific plug-ins for enforcing policies in a feedback-based, adaptive data network

S Natarajan, AG Harvey, HC Lee, V Rawat... - US Patent ..., 2004 - Google Patents
... The information which is reported to the **data store** is analyzed by a policy engine which includes a plurality of **application specific** plug-in policies for analyz- ing selected information from the **data store** and for com- puting updated control information **based** upon the analysis of ...

[Cited by 76](#) - [Related articles](#) - [All 4 versions](#)

Method and apparatus for erasing data after expiration

T Motoyama... - US Patent 6,304,948, 2001 - Google Patents
... T"* Non-Volatile Storage , -202 «-S2 > 206 **Back-Up** Power Supply V, 204 **Back-Up** Power Supply ... **Based** on the need to securely **store** and maintain **data** and the limitations in the ... Storage unit 106 also optionally includes **backup** power supplies 210 and 212 which each provide ...

[Cited by 32](#) - [Related articles](#) - [All 2 versions](#)

Technique for providing dynamic modification of application specific policies in a feedback-based, adaptive data network

S Natarajan, AG Harvey, HC Lee, V Rawat... - US Patent ..., 2009 - Google Patents
... The information which is reported to the **data store** is analyzed by a policy engine which includes a plurality of **application specific** plug-in policies for analyzing selected information from the **data store** and for computing updated control information **based** upon the analysis of the ...

[Cited by 40](#) - [Related articles](#) - [All 4 versions](#)

Method and apparatus for erasing data when a problem is identified

T Motoyama... - US Patent 6,301,670, 2001 - Google Patents
... Volatile r~202 [Storage I 206 V 204 **Back-Up** Power Supply ^210 **Back-Up** Power Supply ... **Based** on the need to securely **store** and maintain **data** and the limitations in the prior ... Preferably, one of the **backup** power supplies is an onboard battery that provides **backup** power to the ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

Method and apparatus for erasing data after tampering

T Motoyama... - US Patent 7,152,095, 2006 - Google Patents
... 4B **Registered** identifier value 42Q Header segment 422 Device maker segment 424 Serial number segment ... **Based** on the need to securely **store** and maintain **data** and This **application** is related to ... is an original copy This **application** is also related to US patent **application** 20 ;s ...

[Cited by 4](#) - [Related articles](#) - [All 4 versions](#)

Linking of computers **based** on optical sensing of digital **data**

GB Rhoads - US Patent 6,311,214, 2001 - Google Patents
... on general purpose microprocessors that are 20 programmed by suitable software **instructions** to perform ... Likewise, hardware-**based** systems can activate different circuitry depending on the detected ... Bedoop object for which it does not have a **registered application** 65 program. ...
[Cited by 257](#) - [Related articles](#) - [All 2 versions](#)

Computer system and automatic **data backup** method

S Niwata... - US Patent App. 10/585,622, 2005 - Google Patents
... are intended to increase the redundancy of an entire storage region by copying the entirety ... **Data** that an operator primarily does not consider necessary to **back up** thus also become subject ... programs **based** on an **instruction** of an operator; and [0017] a **backup** management unit ...
[All 4 versions](#)

Managing **Backup** Relationships in a **Data Storage** System


A Sasson, E Maiul, I Goldberg... - US Patent ..., 2011 - freepatentsonline.com
... 20100100668, CONTROL METHOD FOR LOGICAL STRIPS **BASED** ON MULTI-CHANNEL SOLID-STATE NON ... executed on one or more hardware environments to re-establish a **backup** relationship in ... the program for use by or in connection with the **instruction** execution system ...
[Cached](#)

Method, system, and computer program product for reducing network copies by port-**based** routing to **application-specific** buffers

LS Fernandes, V Jain, JP Messing... - US Patent ..., 2009 - Google Patents
... SYSTEM, AND COMPUTER PROGRAM PRODUCT FOR REDUCING NETWORK COPIES BY PORT-**BASED** ROUTING TO ... on a particular port directly to a common buffer and copying to an ... resource 106 can employ copy 132 in conjunction with the **instructions** of **application** ...
[Related articles](#) - [All 4 versions](#)

Method and system for recognizing security documents

BL Davis, BW Perry, JS Carr... - US Patent App. 09/ ..., 1999 - Google Patents
... that the **data** will persist—either in the location originally written, or by copying during subsequent ... com- puter-aided synthesis of illegal drugs may be indicated by certain chemical modeling **instructions** in software ... 4. The method of claim 1 in which the first analysis is **based** on a ...
[Cited by 22](#) - [Related articles](#) - [All 4 versions](#)

 [Create email alert](#)



backup based on instruction application registered

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations



[Create email alert](#)

Results 11 - 20 of about 9,840 (0.09 sec)

Methods for evidencing illicit use of a computer system or device

BL Davis, B Perry... - US Patent App. 09/185,380, 1998 - Google Patents

... IDE, ATAPI, etc.) continue their evolution from dedicated hardware to software-based

implementations, their ... will persist—either in the location originally written, or by copying during

subsequent ... illegal drugs may be indicated by certain chemical modeling **instructions** in software ...

[Cited by 28](#) - [Related articles](#) - [All 4 versions](#)

Dynamic rule-based version control system

DB Leblang, LW Allen, RP Chase Jr... - US Patent ..., 1997 - Google Patents

... ELEMENT include 460 **backup.h** DIRECTORY ELEMENT vega FILE ELEMENT **backup.h** Fig. ...

OF THE INVENTION „ The present invention also features Rule-Based Version Selection ... 55 **data**,

including a processor for executing **instructions** andfor Another shortcoming of prior ...

[Cited by 157](#) - [Related articles](#) - [All 3 versions](#)

Method of synchronizing a pair of central processor units for duplex, lock-step operation by copying data into a corresponding locations of another memory

DP Sonnier, WE Baker, WP Bunton... - US Patent ..., 1998 - Google Patents

... Number: [45] Date of Patent: 5,751,955 May 12, 1998 [54] METHOD OF SYNCHRONIZING A

PAIR OF CENTRAL PROCESSOR UNITS FOR DUPLEX, LOCK-STEP OPERATION BY COPYING

DATA INTO A ... 7, 1995 Related US **Application Data** [63] Continuation-in-part of Ser. ...

[Cited by 90](#) - [Related articles](#) - [All 2 versions](#)

Methods and apparatus for interfacing to a data storage system

SM Blumenau - US Patent 7,281,111, 2007 - Google Patents

... and the master volume so that the mirror image volume can be brought **back up**-to-date ... any

changes that may have occurred in the master volume during the **backup** of testing ... Embodiments

of the present invention are **based**, in part, on the recognition of these deficiencies and ...

[Cited by 25](#) - [Related articles](#) - [All 4 versions](#)

IA-32 Execution Layer: a two-phase dynamic translator designed to support IA-32 applications on Itanium®-based systems

[\[PDF\] from psu.edu](#)

L Baraz, T Devor, O Etzion... - Proceedings of the ..., 2003 - portal.acm.org

... exception occurs, it becomes necessary to regenerate a consistent and precise IA-32 state for

the point of exception, **based** on the ... The translator copies the original IA-32 state changes into

backup registers. ... fxchg as implicit renaming instead of generating copying **instructions**. ...

[Cited by 120](#) - [Related articles](#) - [BL Direct](#) - [All 21 versions](#)

DISTINGUISHING DATA STREAMS TO ENHANCE DATA STORAGE EFFICIENCY

MJ Anglin, AH Hochberg, JP Smith... - US Patent App. 12/ ..., 2008 - Google Patents
... The storage manage- ment server 108 may **back up** or archive client files in a **backup** storage
112. ... Profiles of file **data** streams may be created **based** on how efficiently two file **data** streams
may deduplicate. ... [0052] In one embodiment, **backup** client 102 and storage ...
[All 2 versions](#)

BACKUP MANAGEMENT METHOD BASED ON MODE OF FAILURE

K Miwa, N Maki, M Asano... - US Patent ..., 2011 - freepatentsonline.com
... management table 2104 and invalidates the remote **backup** of the volume being used by the
application in which ... at the time of failure is “continue”, the storage management program 2110
sends a **backup instruction** for a pre-set pair to the control program 1121 **based** on a pre ...
[Cached](#)

Method and apparatus for re-encrypting data in a transaction-based secure storage system


G Caronni - US Patent 7,792,300, 2010 - freepatentsonline.com
... 6778668, Method and system for escrowed **backup** of hotelled world wide web sites, August ... a
processor, a memory, a storage device, a computer display, and software **instructions** stored
in ... Further, the access control used in conjunction with the transaction-**based** file systems ...
[Related articles](#) - [Cached](#)


Method and apparatus for processing a synchronizing marker for an asynchronous remote data copy

RW Shomier - US Patent 5,623,599, 1997 - Google Patents
... **based** copying involves log files, **data** files, and program routines while storage **based** copying
involves an ... No. 5,133,065 entitled "**Backup** Computer Program for Networks" issued Jul. ... To perform
asynchronous remote copying there are three requisites: 1. The sequence of **data** ...
[Cited by 38](#) - [Related articles](#) - [All 2 versions](#)

Method and system for coupling a stack based processor to register based functional unit

G Feierbach... - US Patent 6,088,786, 2000 - Google Patents
... arranged in a prede- 15 usec} m slllCk and register processor 104 is **based** on the ... The bytecode
20 **instructions** contained in these class files are typically gen- erated by compiling applications ...
For example, an 25 **application** written in C or C++ can be compiled into bytecodes ...
[Cited by 19](#) - [Related articles](#) - [All 2 versions](#)

 [Create email alert](#)



backup based on instruction application registre

Search

Advanced Scholar Search

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 10 of about 3,710 (0.17 sec)

LOCUS a network transparent, high reliability distributed system

[PDF] from toronto.edu

G Popek, B Walker, J Chow, D Edwards... - Proceedings of the ..., 1981 - portal.acm.org
... 3.2.1. Synchronization Policy in LOCUS The policy in LOCUS is **based** on a global "multiple ... that all activity involve a single specified **copy**, with all other **copies** eventually used lbr **back-up**. ... local networks, it is common to observe a cost of up to 5,000 **instructions** being executed ...

Cited by 249 - Related articles - All 6 versions

Dynamic rule-**based** version control system

DB Leblang, LW Allen, RP Chase Jr... - US Patent ..., 1997 - Google Patents
... ELEMENT **include** 460 **backup.h** DIRECTORY ELEMENT vega **FILE** ELEMENT **backup.h** Fig. ... OF THE INVENTION „ The present invention also features Rule-**Based** Version Selection ... 55 **data**, **including** a processor for executing **instructions** andfor Another shortcoming of prior ...

Cited by 157 - Related articles - All 3 versions

Computer system and automatic **data backup** method

S Niwata... - US Patent App. 10/585,622, 2005 - Google Patents
... intended to increase the redundancy of an entire storage region by copying the entirety ... **Data** that an operator primarily does not consider necessary to **back up** thus also become ... **file name extensions** associated with **application** pro- grams; and [0036] a **backup** management unit ...

All 4 versions

FARSITE: Federated, available, and reliable **storage** for an incompletely trusted environment

[PDF] from psu.edu

A Adya, WJ Bolosky, M Castro, G Cermak... - ACM SIGOPS ..., 2002 - portal.acm.org
... However, server-**based** systems carry a direct cost in equipment, physical plant, and personnel beyond ... by computing a Merkle hash tree [30] over the **file data** blocks, **storing a copy** ... When an **application** creates, modifies, renames, or deletes a **file** or directory, these updates to ...

Cited by 628 - Related articles - BL Direct - All 73 versions

Dynamic **software** version auditor which monitors a process to provide a list of objects that are accessed

DB Leblang, LW Allen, PP Chase Jr... - US Patent ..., 1996 - Google Patents
... ELEMENT **Include** 460 **backup.h** DIRECTORY ELEMENT vega **FILE** ELEMENT **backup.h** Fig ... The present invention also features Rule-**Based** Version Selection in which users can create and ... for controlling versions of **data**, **including** a processor for executing **instructions** and for ...

Cited by 140 - Related articles - All 3 versions

Linking of computers **based** on optical sensing of digital **data**

GB Rhoads - US Patent 6,311,214, 2001 - Google Patents
... on general purpose microprocessors that are 20 programmed by suitable software **instructions** to perform ... Likewise, hardware-**based** systems can activate different circuitry depending on the detected ... Bedoop object for which it does not have a **registered application** 65 program. ...
[Cited by 257](#) - [Related articles](#) - [All 2 versions](#)

Computer system having a **storage** area network and method of handling **data** in the computer system

S Honma, H Morishima, T Tsukiyama... - US Patent ..., 2005 - Google Patents
... control Planning reallocation of logical volumes by monitoring the load condition **Application** server ... Page 2 OTHER PUBLICATIONS "Computer Associates annouces serverless SAN **back-up** "Implementing a Fibre Channel Strategy for Tape **Backup** software" Network World ...
[Cited by 27](#) - [Related articles](#) - [All 2 versions](#)

System and method for collecting, aggregating, and coalescing network discovery **data**


D Matheny, D Taylor... - US Patent App. 09/846,521, 2001 - Google Patents
... [0025] In the process of copying the **data** ... network man- ager may generate the key by parsing a special precedence **file** that contains **specific instructions** for defining ... 31, 2002 [0029] In an embodiment, discovery agents 106 may be given different priorities **based** on the accuracy ...
[All 2 versions](#)


Method and apparatus for re-encrypting **data** in a transaction-**based** secure **storage** system

G Caronni - US Patent 7,792,300, 2010 - freepatentsonline.com
... 6778668, Method and system for escrowed **backup** of hotelled world wide web sites, August ... a processor, a memory, a storage device, a computer display, and software **instructions** stored in the ... is trusted to perform access control, and then the transaction-**based file** system may ...
[Related articles](#) - [Cached](#)

SYSTEM AND METHOD FOR PROVIDING AUTOMATED ELECTRONIC INFORMATION **BACKUP, STORAGE AND RECOVERY**

H Snow... - US Patent App. 12/777,189, 2010 - Google Patents
... quickly go to market with end to end solutions for complex distributed **back up**, and recovery ... The processor determines, **based** on the generated hash value, whether the block of **data** in the ... of the invention, the processor restores systems of files stored in the **backup** repository in ...

 [Create email alert](#)



backup based on instruction application registre

Search

Advanced Scholar Search

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 10 of about 860. (0.23 sec)

Computer system and automatic data backup method

S Niwata... - US Patent App. 10/585,622, 2005 - Google Patents

... **Data** that an operator primarily does not consider necessary to **back up** thus also become subject to ... Thus with the conventional automatic **backup** methods, useless copying of **data** that do not ... Though the original **data file**, "aaa.xyz," and the **backup data file**, "aaa.zyx," are exactly ...

All 4 versions

Data management in the TJ-II multi-layer database

J Vega, C Crémy, E Sánchez, A Pontas... - Fusion Engineering and ..., 2000 - Elsevier

... In such circumstances, **data** are returned to the RAID 0+1 **file** system in order to **back-up** the new **data**. ... c) Inefficient use of **data backup**. ... **file**' could be divided **into** smaller parts, it would be possible to manage the modified components, thus avoiding copying of untouched **data**. ...

Cited by 9 - Related articles - All 3 versions

Parallel file systems for the IBM SP computers

PF Corbett, DG Feltelson, JP Prosi... - IBM Systems ..., 2010 - ieeeexplore.ieee.org

... Copying inprinted form forprivate useispermitted with- out payment of royalty provided that(1) eachreproduction is ... nodes, in turn providing the abil- ity to preserve parallelism from the **application** through the ... First, it was necessary to commit to building a **file sys- tem based** on the ...

Cited by 96 - Related articles - BL Direct - All 7 versions

[PDF] from nclt.edu.tw

A structural view of the Cedar programming environment

DC Swinehart, PT Zellweger, RJ Beach... - ACM Transactions on ..., 1986 - portal.acm.org

... 2.7 Rope, Atom, and List Types Several other flexible **data** types **based** on references ... be performed by manipulating small numbers of these structures rather than copying large numbers ... separate address spaces for the operating system routines and for each user **application**. ...

Cited by 184 - Related articles - Library Search - All 14 versions

[PDF] from psu.edu

Information source agent systems and methods for distributed data storage and management using content signatures

B Borden... - US Patent App. 12/730,741, 2010 - Google Patents

... of 34 US 2010/0180128 AI Intercept **file** information from a **file** being stored by a legacy **back-up** system 1010 ... Patent **Application** Publication Jul. ... Yes Identify all information source clients where **file** exists T Send delete **instructions** to Information source clients Generate deletion ...

All 4 versions

The structure of Cedar

[\[PDF\] from psu.edu](#)

DC Swinehart, PT Zellweger... - ACM SIGPlan Notices, 1985 - portal.acm.org
... of the publication and its date appear, and notice is given that copying is by ... **extensions** for Cedar
in support of safe **storage include** reference-counted **store instructions** and additional ... Cedar
systems that use RPC for all their communications: a transaction-**based file** server, an ...
[Cited by 56](#) - [Related articles](#) - [All 9 versions](#)

Putting Home **Data** Management into Perspective

M Salyanarayanan, GR Ganger, SW Schlosser... - 2009 - Storming Media
... collection of information is estimated to average 1 hour per response, **including** the time for
reviewing **instructions**, searching existing ... 4.1 Jill's **backup** style as users' other tools, view-**based**
management replica management should be easier than folder-**based file** management ...
[Related articles](#)

[book] IBM Tivoli **Storage** Management Concepts

[\[PDF\] from ibm.com](#)

R Tretau... - 2003 - redbooks.ibm.com
... 107 6.4.7 Journal-**based backup**. 414 24.12 Large database and **application**
support 124 6-25 Portable client **backup** set
[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 14 versions](#)

[book] The international dictionary of **data** communications


RA Saigh - 1998 - books.google.com
... a **redundant copy** of computer **file data**, typically to create a **backup copy** of that ... is reliable, and
supports coaxial, twisted pair, and fiber optic cable-**based** implementations. ... information about
the directory from **file** listings, preventing unau- thorized access, deletion, or copying). ...
[Library Search](#) - [All 5 versions](#)

[book] Naming, state management, and user-level **extensions** in the sprite distributed **file** system

[\[PDF\] from psu.edu](#)

BB Welch - 1990 - Citeseer
... 1 UNIX is a **registered** trademark of AT&T. Page 4. 3 ... write This operation transfers a number of
bytes to the object from a buffer in the **application's** address space. ... They **include** programs that
sort, edit, select lines **based** on pattern matching, compress and decompress. ...
[Cited by 37](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 62 versions](#)

☒ [Create email alert](#)



backup based on instruction application registe

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations

 [Create email alert](#)

Results **21 - 30** of about **860**. (0.15 sec)

[BOOK] [EnCase computer forensics: the official EnCE: EnCase certified examiner study guide](#)

S Bunting... - 2006 - books.google.com
... the Software to a single hard disk, provided that you keep the original for **backup** or archival ... or bulletin- board system, or (iii) modify, adapt, or cre- ate derivative works **based** on the ... In 2001, Jon co-created Guidance Software's EnCase Certified Examiner program, and he is a ...

[Cited by 10](#) - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

[Watermark-based personal audio appliance](#)

GB Rhoads... - US Patent App. 11/331,430, 2006 - Google Patents
... Again, this **instruction** may be entered by voice, GUI, etc., and dispatched from the **device** to the server, which can then ... More sophisticated "container"-**based** systems are now com- ing **into** vogue, in which the audio is "packaged" (often in ... [0068] Unauthorized copying or use of ...

[All 4 versions](#)

[IMAGE PROCESSING APPARATUS AND MEMORY MANAGEMENT METHOD FOR IMAGE PROCESSING APPARATUS](#)

A Ishikawa - US Patent App. 12/485,782, 2009 - Google Patents
... 64 is connected to a **backup** battery 65, and is backed up by the **backup** battery 65. ... 33 can execute a plurality of processes to control jobs of the various functions (eg, copying, printing, FAX ... log management 1005 can record in the job log 1006 that a job was executed **based** on a ...

[All 2 versions](#)

[System and method for dynamically managing memory allocated to logging in a **storage** area network](#)

C Lubbers, S Elkington, R Hess... - US Patent App. 10/ ..., 2002 - Google Patents
... [0014] In alternate embodiments, the invention may be embodied in logic **instructions** executable on ... lead to desired **storage**, and select amongst the available paths **based** on selected ... a lower cost solution ideal for customers only interested in **data backup**, **data** migration, **data** ...

[Cited by 5](#) - [Related articles](#) - [All 4 versions](#)

[PDF] [Peer-to-peer computing](#)

[\[PDF\] from psu.edu](#)

DS Milojevic, V Kalogeraki, R Lukose, K Nagaraja... - 2002 - Citeseer
... In these cases, it is both disk space to **store** the community's collection of **data** and bandwidth to move the **data** that is ... By ad hoc, we mean environ- ments where members come and go **based** perhaps on their current physical location or their current inter- ... **Application** Taxonomy. ...

[Cited by 832](#) - [Related articles](#) - [View as HTML](#) - [All 55 versions](#)

[BOOK] Computer organization and design: the hardware/software interface

[PDF] from books.google.com

DA Patterson... - 2009 - books.google.com
... We used an approach that combined exam- ples and measurements, **based** on commercial systems, to create realistic ... Chapter 6 on **storage** is critical to readers with a software focus, and should be read by ... Chapter 4: Parallelism and Advanced **Instruction**-Level Parallelism. ...

[Cited by 1592](#) - [Related articles](#) - [Library Search](#) - [All 52 versions](#)

BMON2--A distributed monitor system for biological image processing

P Lemkin... - Computer Programs in Biomedicine, 1980 - Elsevier
... The mas ter's convention is to (1) **backup** the state to a disk **file** before starting an ... 7 PDPSe octal digiswitches; Execute key used to execute (inter pretively by the PDP8e) **instructions** given in ... The following algorithm is used to perform the 512 to 256 mapping **based** on input line ...

[Cited by 10](#) - [Related articles](#) - [All 2 versions](#)

Visual Content-**Based** Internet Search Methods and Sub-Combinations

GB Rhoads - US Patent App. 11/620,993, 2007 - Google Patents
... Again, this **instruction** may be entered by voice, GUI, etc., and dispatched from the **device** to the server, which can then ... More sophisticated "container"-**based** systems are now com- ing **into** vogue, in which the audio is "packaged" (often in ... [0069] Unauthorized copying or use of ...

[All 2 versions](#)

[BOOK] Tivoli **Storage** Manager Version 3.7: Technical Guide

[PDF] from ibm.com


R Heyt... - 1999 - redbooks.ibm.com
... new function is called logical volume **backup** and uses different processes than **file** level **based backup**. It was created to support the **backup** and recovery of raw logical volumes without **file** ... The client functionality also includes the option to **back up** full **file** system images to the ...

[View as HTML](#) - [Library Search](#) - [All 12 versions](#)

Vine Volume 13 Issue 2 1983

P Manson - VINE, 1993 - emeraldinsight.com
... give a general introduction to the system and explain some of the concepts on which it is **based**. ... For **back-up** in cases of system failure, it is proposed to use a terminal with 48k static ... standard print format for the bibliographic **data** but there is a separate area for **instructions** to the ...

☒ [Create email alert](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

backup based on instruction applica

Search



computer system and automatic backup method

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations

☐ Create email alert

Results 1 - 2 of 2. (0.08 sec)

Did you mean: [computer system and automatic backup method](#) **Shouzou** Niwata

Computer system and automatic data backup method

S Niwata... - US Patent App. 10/585,622, 2005 - Google Patents
(i9) United States (12) Patent Application Publication **Niwata** et al. US20090193061A1 (io)
Pub. No.: US 2009/0193061 AI (43) Pub. Date: Jul. 30, 2009 (54) **COMPUTER SYSTEM AND AUTOMATIC DATA BACKUP METHOD** Publication Classification (76) Inventors: **Syouzou** ...

[All 4 versions](#)

Information processing apparatus, and method for retaining security

..., Y Yano, T Chikada, F Handa, S Niwata - US Patent ..., 2009 - Google Patents
... users until a logoff procedure concerning said predetermined user is performed; BACKGROUND
ART an spreading ... 15 ing a predetermined data file, stored in the data storage unit, **computer**,
is often ... onto the memory, and a file storing process of storing a **system** (referred to ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

☐

Create email alert

Did you mean to search for: [computer system and automatic backup method](#) **Shouzou** Niwata

computer system and automatic backup method

Search